

ITB 13-01 Addendum V
Dated: February 4, 2013
Addendum V Reads as Follows:

1.

| PLUMBING FIXTURE SCHEDULE | |
|---------------------------|---|
| WC | WATER CLOSET – WALL-MOUNTED – FLUSH VALVE – ADA EQUAL TO ZURN MODEL Z5615.258.00 HIGH-EFFICIENCY TOILET SYSTEM ELONGATED FLUSH VALVE TOILET, 1.28 GPF, WHITE VITREOUS CHINA TOILET WITH SIPHON JET FLUSH ACTION, WITH MODEL Z6000AV-HET MANUAL FLUSH VALVE. MOLDED WHITE SEAT EQUAL TO BEMIS 1500EC. PROVIDE WALL CARRIER AS RECOMMENDED BY MANUFACTURER. |
| UR | URINAL – WALL-MOUNTED – WATERLESS – ADA EQUAL TO YUKON MODEL 2101 WATERLESS WALL-MOUNTED URINAL WITH BLUESEAL TRAP LIQUID. PROVIDE WALL CARRIER AS RECOMMENDED BY MANUFACTURER. |
| LAV | LAVATORY – WALL MOUNTED – ADA EQUAL TO ZURN MODEL Z5840 ENAMELED CAST IRON, WALL-MOUNTED 20” X 18” LAVATORY PUNCHED ON 4” CENTERS COMPLETE WITH GRID STRAINER, HEAVY-DUTY CAST DUCTILE IRON MOUNTING BRACKET, ADA TRAP, STOPS AND UNDER-FIXTURE PROTECTORS. PROVIDE WITH HEAVY-DUTY LAVATORY CARRIER AS RECOMMENDED BY MANUFACTURER. PROVIDE WITH ZURN MODEL Z7440-FC SINGLE-LEVER ADA FAUCET WITH CHROME PLATING. |
| MS | MOP SERVICE SINK – MOLDED STONE OR TERRAZO 24x24 SQUARE MOP SINK WITH BUMPER GUARDS, EQUAL TO FIAT SERVICE SINK, MODEL MSB-2424. FAUCET: WALL-MOUNTED SERVICE SINK FAUCET WITH SUPPORT STRUT, INTEGRAL VACUUM BREAKER, PAIL HOOK, HOSE COUPLING WITH 36” HOSE, EQUAL TO FIAT MODEL 830-AA. OTHER: FURNISH SINK COMPLETE WITH DRAIN, TRAP, SUPPLY FITTINGS WITH MANUAL STOPS. |
| DF | DRINKING FOUNTAIN – BI-LEVEL – ADA ACCESSIBLE WALL-MOUNTED, STAINLESS STEEL DRINKING FOUNTAIN WITH HIGH AND LOW ROUND BOWLS AND BUBBLERS. PROVIDE UNIT WITH PUSH BUTTON OPERATORS, WALL SUPPORT CARRIER, AND UNIT SKIRT AS REQUIRED FOR ADA COMPLIANCE. DRINKING FOUNTAIN SHALL BE EQUAL TO HAWS MODEL 1011. |

2. Correct Addendum IV
Change From Dated: February 30, 2013
Change To Dated: January 30, 2013
3. Change Bid Opening Date From: Wednesday, February 6, 2013 at 2:00pm
Change Bid Opening Date To: Thursday, February 7, 2013 at 4:00pm